

Perfect ID EDGE11025 Impinj M781

P-01030-B0X0N9 - RFAB-070908-ETSI

Overview

Operating frequency

EU 865-868 MHz

Air interface protocol

EPC Class 1 Gen 2 ISO 18000-63

IC

Impinj M700 Series

Industry Segments

Logistics; Pharma; IT Services;
Manufacturing; Automotive; Aviation

Applications

Inventory and Logistics; Asset
Management; Returnable Transport
Items (RTI)

RoHS

EU Directive 2011/65/EC and Directive
(EU) 2015/863

REACH

Regulation (EC) No 1907/2006



EDGE11025 Mount-on-Metal Ruggedized Tag EU


Enhance asset tracking with the slim and robust EDGE 11025 tag.

Introducing the EDGE 11025: a slim and robust RAIN (UHF) RFID hard tag engineered to protect metal assets. Specifically optimized for securing industrial metal assets prone to impacts, this tag is ideal for a range of applications including RTIs. With superior on-metal functionality, it outperforms other tag types on various surfaces. Ensure enhanced asset security with the specialized design of the EDGE 11025.


Technical features

| | |
|----------------------------|--|
| IC | Impinj M781 |
| EPC and User Memory | 128bit EPC Memory, 512bit User Memory |
| TID Memory | 96bit serialised TID, 48bit unique serial number |
| Product Type | Hard Tag |
| Die Cut Dimensions | 110 x 25 mm |
| Adhesive | n.a. |

Technical Drawing



Read range



Contact information

rfid.supplies/shop

sales@rfid.supplies

+44 20 203 8080 2050



© 2023 syo.io and rfid.supplies. All graphs are indicative: performance in real life applications may vary. Third party trademarks and/or trade names used herein are the property of their respective owner(s). Some of the trademarks appear for identification purposes only.

Warranty: Please refer to rfid.supplies standard terms and conditions: https://rfid.supplies/gtc_of_sale

Care and handling: RFID inlays are sensitive to ESD. Observe standard industry practices relating to electronics and RFID to keep environmental impact and static charge to a minimum.

Applications: This product should be tested by the customer / user thoroughly under end use conditions to ensure the product meets the requirements. rfid.supplies does not represent that this product is fit for any particular purpose or use. rfid.supplies reserves the right to modify, change, supplement or discontinue product offerings at any time without notice. The information contained herein is believed to be reliable, but rfid.supplies makes no representation concerning the accuracy or correctness of the data